




DK003 Rhino-Rack VA, Aero, Euro & HD crossbar instruction

IDENTIFICATION CHART




Vehicle	Date	Crossbar	FRONT CROSSBAR					REAR CROSSBAR				
			Front Right Pad/ Clamp	Front Left Pad/ Clamp	Measurement strip length per side	Measurement strip length per side	Measurement Distance (x)	Foot plate arrow direction	Rear Right Pad/ Clamp	Rear Left Pad/ Clamp	Measurement strip length per side	Measurement strip length per side
Daewoo Kalos 5dr Hatch	04/03-12/04	1180mm	M367 114490	170mm	115mm	908mm / 35,3/4"	OUT	M367 114490	155mm	100mm	878mm / 34,9/16"	OUT
			Arrow FORWARD					Arrow FORWARD				
Honda Accord LEV 4dr Sedan	12/97-05/03	1180mm	M367 114490	187mm	132mm	942mm / 37,3/32"	OUT	M367 114490	184mm	129mm	936mm / 36,27/32"	OUT
			Arrow FORWARD					Arrow FORWARD				
Nissan Maxima (J31) 4dr Sedan	12/03-03/09	1180mm	M367 114490	197mm	142mm	962mm / 37,7/8"	OUT	M367 114490	203mm	148mm	974mm / 38,11/32"	OUT
			Arrow FORWARD					Arrow FORWARD				
Holden Barina (TK) 4dr Sedan	02/06-10/11	1180mm	M367 114490	174mm	119mm	916mm / 36,1/16"	OUT	M367 114490	162mm	107mm	892mm / 35,1/8"	OUT
			Arrow FORWARD					Arrow FORWARD				
Holden Barina Classic (TK) 4dr Sedan	11/11-	1180mm	M367 114490	174mm	119mm	916mm / 36,1/16"	OUT	M367 114490	162mm	107mm	892mm / 35,1/8"	OUT
			Arrow FORWARD					Arrow FORWARD				



DK003 Rhino-Rack VA, Aero, Euro & HD crossbar instruction

IDENTIFICATION CHART



Vehicle	Date	Crossbar	FRONT CROSSBAR					REAR CROSSBAR						
			Front Right Pad/ Clamp	Front Left Pad/ Clamp	Measurement strip length per side	Measurement strip length per side	Measurement Distance (x)	Foot plate arrow direction	Rear Right Pad/ Clamp	Rear Left Pad/ Clamp	Measurement strip length per side	Measurement strip length per side	Measurement Distance (x)	Foot plate arrow direction
Opel Corsa (C) 4dr Sedan	03-09	1180mm	M367 114490		174mm	119mm	916mm / 36,1/16"	OUT	M367 114490		162mm	107mm	892mm / 35,1/8"	OUT
			Arrow FORWARD						Arrow FORWARD					





DK003 Rhino-Rack VA, Aero, Euro & HD crossbar instruction

Measurement A: CENTRE of door jamb to CENTRE arrow of leg foot plate.

Measurement B: CENTRE of Front leg foot plate arrow to CENTRE of Rear leg foot plate arrow.

Carrying capacity: Roof rack is rated to 75kg. Please refer to manufacturers handbook for your vehicles maximum roof load capacity. Always use the lower of the two figures.

If your vehicle is not listed on this fitting instruction please refer to your countries Rhino-Rack web site for the latest information.



VEHICLE	Date	Measurement A	Measurement B	Load Rating (includes racks 5kg/ 11lbs)
Daewoo Kalos 5dr Hatch	04/03-12/04	250mm / 9,27/32"	700mm / 27,9/16"	75kg / 165lbs
Honda Accord LEV 4dr Sedan	12/97-05/03	250mm / 9,27/32"	650mm / 25,19/32"	75kg / 165lbs
Nissan Maxima (J31) 4dr Sedan	12/03-03/09	250mm / 9,27/32"	700mm / 27,9/16"	75kg / 165lbs
Holden Barina (TK) 4dr Sedan	02/06-10/11	300mm / 11,13/16"	700mm / 27,9/16"	50kg / 110lbs
Holden Barina Classic (TK) 4dr Sedan	11/11-	300mm / 11,13/16"	700mm / 27,9/16"	50kg / 110lbs
Opel Corsa (C) 4dr Sedan	03-09	300mm / 11,13/16"	700mm / 27,9/16"	50kg / 110lbs