

100														
			IDENTIFICATION CHART			Identification of the second s		ation						
								AERO	crossba	crossbar EURO crossbar			HD crossbar	
					FRONT	T CROSSBAR					REAR CROSSBAR			
					(L-D) VA	AERO EURO	HD					AERO EURO	L HD	THE FE
Vehicle	Date	Crossbar	Front Right Pad/ Clamp	Front Left Pad/ Clamp	Measurement strip length per side	Measurement strip length per side	Measurement Distance (x)	Foot plate arrow direction	Rear Right Pad/ Clamp	Rear Left Pad/ Clamp	Measurement strip length per side	Measurement strip length per side	Measurement Distance (x)	Foot plate arrow direction
Toyota Tarago MPV	03/ 206 on	1260mm / 49,39/64"	M367 SUB0149		213mm	100mm	1074mm / 42,9/32"	OUT	SUBO	M367 SUB0172		48mm	970mm / 38,3/16"	OUT
				Arrow FORWARD					Arro FORV					
Toyota Previa MPV	03/ 2006 on	1260mm / 49,39/64"	M367 SUB0149		213mm	100mm	1074mm / 42,9/32"	OUT	M3 SUB0		161mm	48mm	970mm / 38,3/16"	OUT
			Arro FORV				42,9/32		Arro FORV				36,3/10	
Toyota Estima MPV	03/ 2006 on	1260mm / 49,39/64"	M367 SUB0149		213mm	100mm	1074mm /	OUT	M3 SUB0		161mm	48mm	970mm /	OUT
			Arro FORV		21511111	TOOTIIT	42,9/32"	001	Arro FORW		TOTITIT	40/11/1	38,3/16"	001
									4					




DK084 Rhino-Rack VA, Aero, Euro & HD crossbar instruction

Measurement A: CENTRE of door jamb to CENTRE arrow of leg foot plate.

Measurement B: CENTRE of Front leg foot plate arrow to CENTRE of Rear leg foot plate arrow.

Carrying capacity: Roof rack is rated to 75kg. Please refer to manufacturers handbook for your vehicles maximum roof load capacity. Always use the lower of the two figures.

If your vehicle is not listed on this fitting instruction please refer to your countries Rhino-Rack web site for the latest information.



VEHICLE	Date	Measurement A	Measurement B	Load Rating (includes racks 5kg/ 11lbs)
Toyota Tarago MPV	03/2006 on	250mm / 9,27/32"	850mm / 33,15/32"	75kg / 165lbs
Toyota Previa MPV	03/2006 on	250mm / 9,27/32"	850mm / 33,15/32"	75kg / 165lbs
Toyota Estima MPV	03/2006 on	250mm / 9,27/32"	850mm / 33,15/32"	75kg / 165lbs