
















DK116 Rhino-Rack VA, Aero, Euro & HD crossbar instruction

IDENTIFICATION CHART



					 VA	 AERO EURO	 HD				 VA	 AERO EURO	 HD	
Vehicle	Date	Crossbar	Front Right Pad/ Clamp	Front Left Pad/ Clamp	Measurement strip length per side	Measurement strip length per side	Measurement Distance (x)	Foot plate arrow direction	Rear Right Pad/ Clamp	Rear Left Pad/ Clamp	Measurement strip length per side	Measurement strip length per side	Measurement Distance (x)	Foot plate arrow direction
VW Polo 9N 3dr hatch	2002-2008	1180mm	M368 SUB0149	M368 SUB0149	172mm	117mm	912mm / 35,29/32"	OUT	M368 SUB0150	M368 SUB0150	161mm	106mm	890mm / 35,3/64"	OUT
			Arrow OUT						Arrow OUT					




DK116 Rhino-Rack VA, Aero, Euro & HD crossbar instruction

Measurement A: CENTRE of door jamb to CENTRE arrow of leg foot plate.


Measurement B: CENTRE of Front leg foot plate arrow to CENTRE of Rear leg foot plate arrow.

Carrying capacity: Roof rack is rated to 75kg. Please refer to manufacturers handbook for your vehicles maximum roof load capacity. Always use the lower of the two figures.

If your vehicle is not listed on this fitting instruction please refer to your countries Rhino-Rack web site for the latest information.



Direction of Pad, Arrow and Foot Plates



VEHICLE	Date	Measurement A	Measurement B	Load Rating (includes racks 5kg/ 11lbs)
VW Polo 9N 3dr Hatch	2002-2008	350mm / 13,25/32"	750mm / 29,17/32"	60kg / 132lbs



DK116 Rhino-Rack VA, Aero, Euro & HD crossbar instruction

Crossbar	Slot Length on Aero/ Euro	VA formula (based on Euro/ Aero) 300mm slot
DA106 1060mm	187mm	+110mm
DA1180 1180mm	245mm	+55mm
DA1260 1260mm	187mm	+113mm
DA1375 1375mm	245mm	+55mm
DA1500 1500mm	245mm	+55mm