





DK197 Rhino-Rack VA, Aero, Euro & HD crossbar instruction

IDENTIFICATION CHART




VA crossbar



AERO crossbar



EURO crossbar







HD crossbar

Vehicle	Date	Crossbar	Front					Rear						
			Right Pad/ Clamp	Left Pad/ Clamp	Measurement strip length per side	Measurement strip length per side	Measurement Distance (x)	Foot plate arrow direction	Right Pad/ Clamp	Left Pad/ Clamp	Measurement strip length per side	Measurement strip length per side	Measurement Distance (x)	Foot plate arrow direction
AUDI A6 (4F) 4dr sedan (AU/ NZ)	10/04- 06/11	1180mm			190mm	135mm	948mm / 37,21/64"	OUT			186mm	131mm	940mm / 37"	OUT
			M366 SUB0256	AERO EURO					HD	M366 SUB0152				
AUDI A6 (4F) 4dr sedan (EUR)	04-11	1180mm			190mm	135mm	948mm / 37,21/64"	OUT			186mm	131mm	940mm / 37"	OUT
			M366 SUB0256	AERO EURO					HD	M366 SUB0152				
AUDI A6 (4F) 4dr sedan (USA)	05-11	1180mm			190mm	135mm	948mm / 37,21/64"	OUT			186mm	131mm	940mm / 37"	OUT
			M366 SUB0256	AERO EURO					HD	M366 SUB0152				
AUDI S6 (4F) 4dr sedan (AU/ NZ)	11/06- 09/11	1180mm			190mm	135mm	948mm / 37,21/64"	OUT			186mm	131mm	940mm / 37"	OUT
			M366 SUB0256	AERO EURO					HD	M366 SUB0152				
AUDI S6 (4F) 4dr sedan (EUR)	06-11	1180mm			190mm	135mm	948mm / 37,21/64"	OUT			186mm	131mm	940mm / 37"	OUT
			M366 SUB0256	AERO EURO					HD	M366 SUB0152				



DK197 Rhino-Rack VA, Aero, Euro & HD crossbar instruction

IDENTIFICATION CHART



Vehicle	Date	Crossbar	Front					Rear						
			Right Pad/ Clamp	Left Pad/ Clamp	strip length per side	strip length per side	Distance (x)	Foot plate arrow direction	Right Pad/ Clamp	Left Pad/ Clamp	strip length per side	strip length per side	Distance (x)	Foot plate arrow direction
AUDI S6 (4F) 4dr sedan (USA)	07-11		M366 SUB0256		190mm	135mm	948mm / 37,21/64"	OUT	M366 SUB0152		186mm	131mm	940mm / 37"	OUT
			Arrow FORWARD						Arrow FORWARD					





DK197 Rhino-Rack VA, Aero, Euro & HD crossbar instruction

Measurement A: CENTRE of door jamb to CENTRE arrow of leg foot plate.

Measurement B: CENTRE of Front leg foot plate arrow to CENTRE of Rear leg foot plate arrow.

Carrying capacity: Roof rack is rated to 75kg. Please refer to manufacturers handbook for your vehicles maximum roof load capacity. Always use the lower of the two figures.

If your vehicle is not listed on this fitting instruction please refer to your countries Rhino-Rack web site for the latest information.



VEHICLE	Date	Measurement A	Measurement B	Load Rating (includes racks 5kg/11lbs)
AUDI A6 (4F) 4dr sedan (AU/NZ)	10/04-06/11	300mm / 11,13/16"	700mm / 27,9/16"	75kg / 165lbs
AUDI A6 (4F) 4dr sedan (EUR)	04-11	300mm / 11,13/16"	700mm / 27,9/16"	75kg / 165lbs
AUDI A6 (4F) 4dr sedan (USA)	05-11	300mm / 11,13/16"	700mm / 27,9/16"	75kg / 165lbs
AUDI S6 (4F) 4dr sedan (AU/NZ)	11/06-09/11	300mm / 11,13/16"	700mm / 27,9/16"	75kg / 165lbs
AUDI S6 (4F) 4dr sedan (EUR)	06-11	300mm / 11,13/16"	700mm / 27,9/16"	75kg / 165lbs
AUDI S6 (4F) 4dr sedan (USA)	07-11	300mm / 11,13/16"	700mm / 27,9/16"	75kg / 165lbs