

Kit 1030

NISSAN Almera, 3/4/5-dr, 95-99



NISSAN Pulsar, 3/4/5-dr, 95-00

NISSAN Sentra, 3/4/5-dr, 95-00



NISSAN Sunny, 3/4/5-dr, 95-98

NISSAN Lucino, 3/4/5-dr, 95-00



**480R
754**



480



750



xx kg / 15,4 lbs
 3 kg / 6,6 lbs

Max. 50 kg
Max. 110 lbs

80 km/h 130 km/h
 50 Mph 80 Mph
 40 km/h 25 Mph
 km/h Mph

THULE
Kit XXXX
instructions
THULE

x1 x4 x4 x4

x1 x4 x4

x1 x4 x4

 x2	 x2	 x2	 x2	 x2
 x2	 x2	 x2	 x2	 x2
 x2	 x2	 x2	 x2	 x2
 x4	 x4	 x4	 x4	 x4






81 x4

83 x2


16 x4

RR PR
FL RL x1


Kit




3




754



750



	X
NISSAN Almera, Pulsar, Sentra, Sunny, Lucion, 3-dr	24
NISSAN Almera, Pulsar, Sentra, Sunny, Lucion, 4-dr	24
NISSAN Almera, Pulsar, Sentra, Sunny, Lucion, 5-dr	24




	Y
NISSAN Almera, Pulsar, Sentra, Sunny, Lucion, 3-dr	24,5
NISSAN Almera, Pulsar, Sentra, Sunny, Lucion, 4-dr	23
NISSAN Almera, Pulsar, Sentra, Sunny, Lucion, 5-dr	23,5





480R



480



	X inch	X mm
NISSAN Almera, Pulsar, Sentra, Sunny, Lucion, 3-dr	35 1/8"	891 mm
NISSAN Almera, Pulsar, Sentra, Sunny, Lucion, 4-dr	35 1/8"	891 mm
NISSAN Almera, Pulsar, Sentra, Sunny, Lucion, 5-dr	35 1/8"	891 mm





	Y inch	Y mm
NISSAN Almera, Pulsar, Sentra, Sunny, Lucion, 3-dr	35 1/4"	896 mm
NISSAN Almera, Pulsar, Sentra, Sunny, Lucion, 4-dr	34 5/8"	881 mm
NISSAN Almera, Pulsar, Sentra, Sunny, Lucion, 5-dr	34 7/8"	886 mm

4







NISSAN Almera, Pulsar, Sentra, Sunny, Lucion, 3-dr

SRA




NISSAN Almera, Pulsar, Sentra, Sunny, Lucion, 4-dr


NISSAN Almera, Pulsar, Sentra, Sunny, Lucion, 5-dr






5



	X mm	Y mm	X inch	Y inch
NISSAN Almera, Pulsar, Sentra, Sunny, Lucion, 3-dr	200 mm	700 mm	7 ⁷ / ₈ "	27 ¹ / ₂ "
NISSAN Almera, Pulsar, Sentra, Sunny, Lucion, 4-dr	220 mm	650 mm	8 ⁵ / ₈ "	25 ⁵ / ₈ "
NISSAN Almera, Pulsar, Sentra, Sunny, Lucion, 5-dr	210 mm	680 mm	8 ¹ / ₄ "	26 ³ / ₄ "



NISSAN Almera, Pulsar, Sentra, Sunny, Lucion, 3-dr



GB/US Tighten alternately

D Die Schrauben abwechselnd anziehen

F Serrer alternativement chaque côté

NL Afwisselend aan de linker- en de rechterkant aandraaien

I Alternare il serraggio delle viti

E Serrare alternativamente

PT Aperte alternadamente

S Dra åt växelvis

FIN Kierrä vuorotellen

EST Pinguldage vaheldumisi

LAT Pievelciet pamišus

LIT Užsukinėkite pakaitomis

PL Śruby dokręcaj naprzemiennie

RU Затягивайте попеременно

CZ Pokręťta bagażníka dokręcaj dokręcaj naprzemiennie.

SK Doťahujte striedavo

SLO Privijajte izmenično.

HR Naizmjenično zategnite

HU Egymástól függetlenül szorítandó

GR Σφιγγετε εναλλάξ

TR Dönüşümlü sıkın

中文 交替拧紧

한국어 번갈아 가며 조이십시오.

日本語 交互に締め付けてください。

ไทย ชันในแบบสลับ






6





480R/754



480



750




i




1




2




i



1




2




i








1



2





THULE®
SWEDEN

**ONE
KEY
SYSTEM**

		(x4)
		(x6)
		(x8)
NA		(x10)
EUR		(x12)
ASIA		