




Kit 1101

JEEP Grand Cherokee, 5-dr SUV, 92-95, 96-98



ISO 11154-E

THULE[®]
SWEDEN

Max. 75kg
Max. 165 lbs

Kit XXXX
instructions

480R/754

480

750






x2 x2 x2 x4	x2	x2 x2 x4 x4	x2 x2	x2

48 x 4

16 x 4

x 1

Kit



3



















X	X
JEEP Grand Cherokee, 5-dr SUV, 92-95, 96-98	39,5



Y	Y
JEEP Grand Cherokee, 5-dr SUV, 92-95, 96-98	38















X inch	X mm
JEEP Grand Cherokee, 5-dr SUV, 92-95, 96-98	41 1/8" 1046 mm




Y inch	Y mm
JEEP Grand Cherokee, 5-dr SUV, 92-95, 96-98	40 5/8" 1031 mm

4




JEEP Grand Cherokee, 5-dr SUV, 92-95, 96-98



5



	X mm	Y mm	X inch	Y inch
JEEP Grand Cherokee, 5-dr SUV, 92-95, 96-98	300 mm	700 mm	11 3/4"	27 1/2"



GB/US Tighten alternately

D Die Schrauben abwechselnd anziehen

F Serrer alternativement chaque côté

NL Afwisselend aan de linker- en de rechterkant aandraaien

I Alternare il serraggio delle viti

E Apertar alternativamente

PT Aperte alternadamente

S Dra åt växelvis

FIN Kierrä vuorotellen

EST Pinguldage vaheldumisi

LAT Pievelciet pamišus

LIT Užsukinėkite pakaitomis

PL Śruby dokręcaj naprzemiennie

RU Затягивайте попеременно

CZ Pokręťte bagážníka dokręcaj dokręcaj naprzemiennie.

SK Doťahujte striedavo

SLO Privijajte izmenično.

HR Naizmjenično zategnite

HU Egymástól függetlenül szorítandó

GR Σφιγγετε εναλλάξ

TR Dönüşümlü sıkın

中文 交替拧紧

한국어 번갈아 가며 조이십시오.

日本語 交互に締め付けてください。

ไทย ชันในแบบสลับ






6





480R/754





480






750






i








i



i





THULE®
SWEDEN

**ONE
KEY
SYSTEM**

544 (x4)

596 (x6)

588 (x8)

NA 510 (x10)

EUR 452 (x12)

ASIA