




Kit 1122

HYUNDAI XG, 4-dr Sedan, 99-01, 02-03

SUBARU Impreza, 4-dr Sedan, 93-00 / *93-01

SUBARU Impreza, 5-dr Wagon, *93-01

*North America



THULE®
SWEDEN

ISO 11154-E

**Max.
65kg**
**Max.
143 lbs**

+

x1

x4

x4

x4

x4

480R/754

x1

x4

x4

x4

480

x1

x4

x4

750

x2 x2 x2 x4	x2	x2 x2 x4 x4	x2 x2 x2	x2
----------------------	----	----------------------	----------------	----






129 x4

152 x2


04 x4

x1



Kit



3





754



750

1




2



	X
HYUNDAI XG, 4-dr Sedan, 99-01, 02-03	40,5
SUBARU Impreza, 4-dr Sedan, 93-00 / *93-01	30
SUBARU Impreza, 5-dr Wagon, *93-01	30

1



2



	Y
HYUNDAI XG, 4-dr Sedan, 99-01, 02-03	39,5
SUBARU Impreza, 4-dr Sedan, 93-00 / *93-01	26,5
SUBARU Impreza, 5-dr Wagon, *93-01	26,5




480R



480

1




2



	X inch	X mm
HYUNDAI XG, 4-dr Sedan, 99-01, 02-03	41 ⁵ / ₈ "	1056 mm
SUBARU Impreza, 4-dr Sedan, 93-00 / *93-01	37 ¹ / ₂ "	951 mm
SUBARU Impreza, 5-dr Wagon, *93-01	37 ¹ / ₂ "	951 mm

1




2



	Y inch	Y mm
HYUNDAI XG, 4-dr Sedan, 99-01, 02-03	41 ¹ / ₈ "	1046 mm
SUBARU Impreza, 4-dr Sedan, 93-00 / *93-01	36 ¹ / ₈ "	916 mm
SUBARU Impreza, 5-dr Wagon, *93-01	36 ¹ / ₈ "	916 mm














4

HYUNDAI XG, 4-dr Sedan, 99-01, 02-03




SUBARU Impreza, 4-dr Sedan, 93-00 / *93-01





SUBARU Impreza, 5-dr Wagon, *93-01



5



	X mm	Y mm	X inch	Y inch
HYUNDAI XG, 4-dr Sedan, 99-01, 02-03	230 mm	650 mm	9"	25 ⁵/₈"
SUBARU Impreza, 4-dr Sedan, 93-00 / *93-01	140 mm	610 mm	5 ¹/₂"	24"
SUBARU Impreza, 5-dr Wagon, *93-01	140 mm	610 mm	5 ¹/₂"	24"



GB/US Tighten alternately

D Die Schrauben abwechselnd anziehen

F Serrer alternativement chaque côté

NL Afwisselend aan de linker- en de rechterkant aandraaien

I Alternare il serraggio delle viti

E Serrare alternativamente

PT Aperte alternadamente

S Dra åt växelsvis

FIN Kierrä vuorotellen

EST Pinguldage vaheldumisi

LAT Pievelciēt pamišus

LIT Užsukinėkite pakaitomis

PL Śruby dokręcaj naprzemiennie

RU Затягивайте попеременно

CZ Pokręťte bagażníka dokręcaj dokręcaj naprzemiennie.

SK Doťahujte striedavo

SLO Privijajte izmenično.

HR Naizmjenično zategnite

HU Egymástól függetlenül szorítandó

GR Σφίγγετε εναλλάξ

TR Dönüşümlü sıkın


中文 交替拧紧

한국어 번갈아 가며 조이십시오.

日本語 交互に締め付けてください。

ไทย ขันในแบบสลับ






6





480R/754



480




750




i




1




2




i



1




2




i








1



2





THULE®
SWEDEN

**ONE
KEY
SYSTEM**

		544 (x4)
		596 (x6)
		588 (x8)
NA		510 (x10)
EUR		452 (x12)
ASIA		