

Kit 1197

NISSAN Almera, 3-dr Hatchback, 00-06

NISSAN Almera, 4-dr Sedan, 00-06



NISSAN Almera, 5-dr Hatchback, 00-06

NISSAN Bluebird Sylphy, 4-dr Sedan, 00-06



NISSAN Pulsar, 3-dr Hatchback, 00-06

NISSAN Pulsar, 5-dr Hatchback, 00-06



480R
754



480



750



xx kg
 xx lbs + 7 kg / 15,4 lbs = **Max. 50 kg**
 3 kg / 6,6 lbs = **Max. 110 lbs**

80 km/h 130 km/h
 50 Mph 80 Mph
 40 km/h 25 Mph
km/h Mph

THULE + **Kit XXXX**

x1 x4 x4 x4 x4
480R/754

x1 x4 x4 x4
480



x1 x4 x4
750

x2	x2	x2	x2	x2
x2	x2	x2	x2	x2
x2	x2	x4	x4	x2
x4		x4		


95 x 2 **02** x 2

364 x 4 **16** x 4 x 1



Kit



3




754




750



1




2




	X
NISSAN Almera, 3-dr Hatchback, 00-06	20,5
NISSAN Almera, 4-dr Sedan, 00-06	20,5
NISSAN Almera, 5-dr Hatchback, 00-06	21
NISSAN Bluebird Sylphy, 4-dr Sedan, 00-06	20,5
NISSAN Pulsar, 3-dr Hatchback, 00-06	20,5
NISSAN Pulsar, 5-dr Hatchback, 00-06	21

1



2



	Y
NISSAN Almera, 3-dr Hatchback, 00-06	21,5
NISSAN Almera, 4-dr Sedan, 00-06	18
NISSAN Almera, 5-dr Hatchback, 00-06	18,5
NISSAN Bluebird Sylphy, 4-dr Sedan, 00-06	18
NISSAN Pulsar, 3-dr Hatchback, 00-06	21,5
NISSAN Pulsar, 5-dr Hatchback, 00-06	18,5




480R





480

1




2



	X inch	X mm
NISSAN Almera, 3-dr Hatchback, 00-06	33 3/4"	856 mm
NISSAN Almera, 4-dr Sedan, 00-06	33 3/4"	856 mm
NISSAN Almera, 5-dr Hatchback, 00-06	33 7/8"	861 mm
NISSAN Bluebird Sylphy, 4-dr Sedan, 00-06	33 3/4"	856 mm
NISSAN Pulsar, 3-dr Hatchback, 00-06	33 3/4"	856 mm
NISSAN Pulsar, 5-dr Hatchback, 00-06	33 7/8"	861 mm

1



2





	Y inch	Y mm
NISSAN Almera, 3-dr Hatchback, 00-06	34 1/8"	866 mm
NISSAN Almera, 4-dr Sedan, 00-06	32 3/4"	831 mm
NISSAN Almera, 5-dr Hatchback, 00-06	32 7/8"	836 mm
NISSAN Bluebird Sylphy, 4-dr Sedan, 00-06	32 3/4"	831 mm
NISSAN Pulsar, 3-dr Hatchback, 00-06	34 1/8"	866 mm
NISSAN Pulsar, 5-dr Hatchback, 00-06	32 7/8"	836 mm

4

NISSAN Almera, 3-dr Hatchback, 00-06

NISSAN Pulsar, 3-dr Hatchback, 00-06

SRA















NISSAN Almera, 4-dr Sedan, 00-06


NISSAN Almera, 5-dr Hatchback, 00-06

NISSAN Bluebird Sylphy, 4-dr Sedan, 00-06


NISSAN Pulsar, 5-dr Hatchback, 00-06







5



	X mm	Y mm	X inch	Y inch
NISSAN Almera, 3-dr Hatchback, 00-06	240 mm	700 mm	9 1/2"	27 1/2"
NISSAN Almera, 4-dr Sedan, 00-06	170 mm	610 mm	6 3/4"	24"
NISSAN Almera, 5-dr Hatchback, 00-06	170 mm	700 mm	6 3/4"	27 1/2"
NISSAN Bluebird Sylphy, 4-dr Sedan, 00-06	170 mm	625 mm	6 3/4"	24 5/8"
NISSAN Pulsar, 3-dr Hatchback, 00-06	240 mm	700 mm	9 1/2"	27 1/2"
NISSAN Pulsar, 5-dr Hatchback, 00-06	170 mm	700 mm	6 3/4"	27 1/2"



NISSAN Almera, 3-dr Hatchback, 00-06
NISSAN Pulsar, 3-dr Hatchback, 00-06



GB/US Tighten alternately

D Die Schrauben abwechselnd anziehen

F Serrer alternativement chaque côté

NL Afwisselend aan de linker- en de rechterkant aandraaien

I Alternare il serraggio delle viti

E Serrare alternativamente

PT Aperte alternadamente

S Dra åt växelvis

FIN Kierrä vuorotellen

EST Pinguldage vaheldumisi

LAT Pielvelciet pamišus

LIT Užsukinėkite pakaitomis

PL Śruby dokręcaj naprzemiennie

RU Затягивайте попеременно

CZ Pokręťta bagażníka dokręcaj dokręcaj naprzemiennie.

SK Doťahujte striedavo

SLO Privijajte izmenično.

HR Naizmjenično zategnite

HU Egymástól függetlenül szorítandó

GR Σφιγγετε εναλλάξ

TR Dönüşümlü sıkın

中文 交替拧紧

한국어 번갈아 가며 조이십시오.

日本語 交互に締め付けてください。

ไทย ชันโนแบบสลับ








6





480R/754



480





THULE
SWEDEN
**ONE
KEY
SYSTEM**



- 544** (x4)
 - 596** (x6)
 - 588** (x8)
 - 510** (x10)
 - 510** (x10)
 - 452** (x12)
- NA
EUR
ASIA



WW ▶ Thule Sweden AB, Box 69, 330 33 Hillerstorp, SWEDEN
NA ▶ Thule Inc., 42 Silvermine Road, Seymour, Connecticut 06483, USA

info@thule.com
customer.service@thule.com

www.thule.com