





Kit 1401

MITSUBISHI L200, 2-dr Crew Cab, 05-09, 10–
MITSUBISHI Triton, 2-dr Crew Cab, 05-09, 10–



**480R
754**



480




750



THULE[®]
 SWEDEN

ISO 11154-E

1




480R/754



480



750



2



480R/754











480




750

+



3





754




750



1




2




X

MITSUBISHI L200, 2-dr Crew Cab, 05-09, 10-	41
MITSUBISHI Triton, 2-dr Crew Cab, 05-09, 10-	41

1



2



Y

MITSUBISHI L200, 2-dr Crew Cab, 05-09, 10-	35,5
MITSUBISHI Triton, 2-dr Crew Cab, 05-09, 10-	35,5




480R




480

1




2




X inch X mm

MITSUBISHI L200, 2-dr Crew Cab, 05-09, 10-	41 3/4"	1061 mm
MITSUBISHI Triton, 2-dr Crew Cab, 05-09, 10-	41 3/4"	1061 mm

1



2
















Y inch Y mm


MITSUBISHI L200, 2-dr Crew Cab, 05-09, 10-	39 5/8"	1006 mm
MITSUBISHI Triton, 2-dr Crew Cab, 05-09, 10-	39 5/8"	1006 mm

4




MITSUBISHI L200, 2-dr Crew Cab, 05-09, 10-
MITSUBISHI Triton, 2-dr Crew Cab, 05-09, 10-



5



	X mm	Y mm	X inch	Y inch
MITSUBISHI L200, 2-dr Crew Cab, 05-09, 10–	265 mm	620 mm	10 ³/₈ "	24 ³/₈ "
MITSUBISHI Triton, 2-dr Crew Cab, 05-09, 10–	265 mm	620 mm	10 ³/₈ "	24 ³/₈ "



GB/US

D

F

NL

I

E

PT

S

FIN

EST

LAT

LIT

PL

RU

Tighten alternately

Die Schrauben abwechselnd anziehen

Serrer alternativement chaque côté

Afwisselend aan de linker- en de rechterkant aandraaien

Alternare il serraggio delle viti

Serrare alternativamente

Aperte alternadamente

Dra át växelvis

Kierrä vuorotellen

Pinguldage vaheldumisi

Pievelciēt pamišus

Užsukinėkite pakaitomis

Śruby dokręcaj naprzemiennie

Затягивайте попеременно

CZ

Pokręťta багаžníka dokręcaj naprzemiennie.

SK

Dofahujzte striedavo

SLO

Privijajte izmenično.

HR

Naizmjenično zategnite

HU

Egymástól függetlenül szorítandó

GR

Σφιγγετε εναλλάξ

TR

Dönüşümlü sıkın

中文

交替拧紧

한국어

변갈아 가며 조이십시오.


日本語

交互に締め付けてください。

ไทย

ขันในแบบสลับ



6





480R/754




480





*
3 Nm




*




*
≈ 3 Nm




750










4 Nm








7



x1
17 mm





THULE
SWEDEN

**ONE
KEY
SYSTEM**

		544 (x4)
		596 (x6)
		588 (x8)
NA		510 (x10)
EUR		452 (x12)
ASIA		



www.thuleprofessional.com











info@thule.com
customer.service@thule.com




Thule Sweden AB, Box 69, 330 33 Hillerstorp, SWEDEN
 Thule Inc., 42 Silvermine Road, Seymour, Connecticut 06483, USA

NA ▶









GB/US
D
F
NL
I
E
PT
S
FIN
EST
LAT
LIT
PL
RU


Tighen alternately
Die Schrauben abwechselnd
anziehen
Serrer alternativement chaque côté
Afwisselend aan de linker- en de
rechterkant aandraaien
Alternare il serraggio delle viti
Serrare alternativamente
Aperte alternadamente
Dra åt växelvis
Kierrä vuorotellen
Pingoitaje vaihtelutmsi
Pievelciēt pamāšus
Uzsukināte pakārtoms
Śruby dokrecaj naprzemiennie
Затягивайте попеременно




CZ
SK
SLO
HR
HU
GR
TR
中文
한국어
日本語
ไทย

Pokrecaj bagaznika dokrecaj
Dotiahňte striedavo
Priviaľte izmenično.
Náizmenično zategnite
Egymséioldi fűggetlenül
szorítvate evadát
Dönümlü sıkın
交互に締め付けてください。
먼감아 가며 조이십시오.
အပြန်အလှန် ဆွဲယူပါ။








X mm		Y mm	
265 mm		620 mm	
265 mm		620 mm	
X inch		Y inch	
10 3/8"		24 3/8"	
10 3/8"		24 3/8"	











503-1401-02





Kit


503-1401-02





instructions

Kit 1401


mitsubishi L200, 2-dr Crew Cab, 05-09, 10-
mitsubishi Triton, 2-dr Crew Cab, 05-09, 10-



480R
754



750



ISO 11154-E

PROFESSIONAL

THULE
SWEDEN