



Kit 1421



SUZUKI APV, 5-dr MPV, 04–

MITSUBISHI Maven, 5-dr MPV, 05–



**480R
754**



480












750




THULE[®]
SWEDEN

ISO 11154-E






3





754




750



1





2




	X
SUZUKI APV, 5-dr MPV, 04–	38
MITSUBISHI Maven, 5-dr MPV, 05–	38

1



2



	Y
SUZUKI APV, 5-dr MPV, 04–	38
MITSUBISHI Maven, 5-dr MPV, 05–	38




480R



480

1




2



	X inch	X mm
SUZUKI APV, 5-dr MPV, 04–	40 ⁵ / ₈ "	1031 mm
MITSUBISHI Maven, 5-dr MPV, 05–	40 ⁵ / ₈ "	1031 mm

1










2




	Y inch	Y mm
SUZUKI APV, 5-dr MPV, 04–	40 ⁵ / ₈ "	1031 mm
MITSUBISHI Maven, 5-dr MPV, 05–	40 ⁵ / ₈ "	1031 mm

4




SUZUKI APV, 5-dr MPV, 04–
 MITSUBISHI Maven, 5-dr MPV, 05–



5



	X mm	Y mm	X inch	Y inch
SUZUKI APV, 5-dr MPV, 04–	640 mm	700 mm	25 1/4"	27 1/2"
MITSUBISHI Maven, 5-dr MPV, 05–	640 mm	700 mm	25 1/4"	27 1/2"



GB/US Tighten alternately

D Die Schrauben abwechselnd anziehen

F Serrer alternativement chaque côté

NL Afwisselend aan de linker- en de rechterkant aandraaien

I Alternare il serraggio delle viti

E Apretar alternativamente

PT Aperte alternadamente

S Dra åt växelvis

FIN Kierrä vuorotellen

EST Pinguldage vaheldumisi

LAT Pielvelciēt pamišus

LIT Užsukinėkite pakaitomis

PL Śruby dokręcaj naprzemiennie

RU Затягивайте попеременно

CZ Pokręťta багаžníka dokręcaj dokręcaj naprzemiennie.

SK Doťahujte striedavo

SLO Privijajte izmenično.

HR Naizmjenično zategnite

HU Egymástól függetlenül szorítandó

GR Σφίγγετε εναλλάξ

TR Dönüşümlü sıkın


中文 交替拧紧

한국어 번갈아 가며 조이십시오.

日本語 交互に締め付けてください。

ไทย ชันในแบบสลับ



6





480R/754








480



750





THULE®
SWEDEN

**ONE
KEY
SYSTEM**

		(x4)
		(x6)
		(x8)
NA		(x10)
EUR		(x12)
ASIA		