



Kit 1422



VOLVO S80, 4-dr Sedan, 06– / *07–

*North America



**480R
754**



480



750



THULE[®]
SWEDEN

ISO 11154-E

**Max.
75kg**
**Max.
165 lbs**

Kit XXXX
instructions

x1

x4

x4

x4

480R/754

x1

x4

x4

x4

480

x1

x4

x4

750

x2 x2 x2 x4	x2	x2 x2 x4 x4	x2 x2 x2	x2
----------------------	----	----------------------	----------------	----

204 x2

206 x2

815 x1






816 x1


817 x1

818 x1


x1

Kit







1



2







	X
VOLVO S80, 4-dr Sedan, 06- / *07-	44

1




2







	Y
VOLVO S80, 4-dr Sedan, 06- / *07-	37,5




1



2







	X inch	X mm
VOLVO S80, 4-dr Sedan, 06- / *07-	43 "	1091 mm

1



2



















	Y inch	Y mm
VOLVO S80, 4-dr Sedan, 06- / *07-	40 ³ / ₈ "	1026 mm

4




VOLVO S80, 4-dr Sedan, 06- / *07-



5



	X mm	Y mm	X inch	Y inch
VOLVO S80, 4-dr Sedan, 06- / *07-	240 mm	640 mm	9 1/2"	25 1/4"



GB/US Tighten alternately

D Die Schrauben abwechselnd anziehen

F Serrer alternativement chaque côté

NL Afwisselend aan de linker- en de rechterkant aandraaien

I Alternare il serraggio delle viti

E Serrare alternativamente

PT Aperte alternadamente

S Dra åt växelvis

FIN Kierrä vuorotellen

EST Pinguldage vaheldumisi

LAT Pievelciet pamišus

LIT Užsukinėkite pakaitomis

PL Śruby dokręcaj naprzemiennie

RU Затягивайте попеременно

CZ Pokręťta багаžníka dokręcaj dokręcaj naprzemiennie.

SK Doťahujte striedavo

SLO Privijajte izmenično.

HR Naizmjenično zategnite

HU Egymástól függetlenül szorítandó

GR Σφιγγετε εναλλάξ

TR Dönüşümlü sıkın


中文 交替拧紧

한국어 번갈아 가며 조이십시오.

日本語 交互に締め付けてください。

ไทย ชันในแบบสลับ






6





480R/754



480



750




i




1




2




i




1




2




i








1



2





THULE®
SWEDEN

**ONE
KEY
SYSTEM**

		(x4)
		(x6)
		(x8)
NA		(x10)
EUR		(x12)
ASIA		