




Kit 1448


SSANGYONG Actyon, 4-dr Double Cab, 06–
SSANGYONG Actyon, 5-dr SUV, 06–



754 Rapid System
480R Rapid Traverse (North America)



480 Traverse (North America)



THULE[®]
 SWEDEN

ISO 11154-E

The diagram illustrates the importance of instructions. It features a box on the left labeled 'THULE' with a warning symbol (a triangle with an exclamation mark) and a plus sign next to it. To the right of the plus sign is a box labeled 'instructions' with a warning symbol and the text 'Kit XXXX'. A person is shown reading the instructions.

754 Rapid System

480R Rapid Traverse (North America)

x1

x4

x4

x4

x4

x1

x4

x4

480 Traverse (North America)





   x2	  x2 23 mm	  x1 17 mm	  x2 23 mm	(North America)   x2
	 x2	 x2 23 mm	 x2	
	 x4	 x2		
	 x4	 x4		


Diagram showing the assembly of the top of the cabinet. The components and their quantities are:

- Part 902 (x 2): Two vertical support brackets.
- Part 617 (x 2): Two horizontal support brackets.
- Part 217 (x 4): Four L-shaped corner brackets.
- Control Panel (x 1): A panel with four buttons labeled RR, FR, FL, and RL.



1






2






754 Rapid System
480R Rapid Traverse
(North America)



x4





x4



x4




480 Traverse
(North America)





x4

3



754 Rapid System



X


X

SSANGYONG Actyon, 4-dr Double Cab, 06–

48

SSANGYONG Actyon, 5-dr SUV, 06–

48



Y

Y

SSANGYONG Actyon, 4-dr Double Cab, 06–

44,5

SSANGYONG Actyon, 5-dr SUV, 06–

44,5

3




480R Rapid Traverse




480 Traverse



(North America)



X inch/mm



X inch

X mm

SSANGYONG Actyon, 4-dr Double Cab, 06–


44 1/2"

1131 mm

SSANGYONG Actyon, 5-dr SUV, 06–

44 1/2"

1131 mm



Y inch/mm



Y inch

Y mm

SSANGYONG Actyon, 4-dr Double Cab, 06–

43 1/8"


1096 mm

SSANGYONG Actyon, 5-dr SUV, 06–

43 1/8"



1096 mm

4




5


SSANGYONG Actyon, 4-dr Double Cab, 06–
SSANGYONG Actyon, 5-dr SUV, 06–




6





i






A




B



	X mm	Y mm	X inch	Y inch
SSANGYONG Actyon, 4-dr Double Cab, 06–	270 mm	700 mm	10 ⁵ / ₈ "	27 ¹ / ₂ "
SSANGYONG Actyon, 5-dr SUV, 06–	270 mm	700 mm	10 ⁵ / ₈ "	27 ¹ / ₂ "







7





GB/US Tighten alternately
D Die Schrauben abwechselnd anziehen
F Serrer alternativement chaque côté
NL Afwisselend aan de linker- en de rechterkant aandraaien
I Alternare il serraggio delle viti
E Apretar alternativamente
PT Aperte alternadamente
S Dra åt växelvis
FIN Kierrä vuorotellen
EST Pinguldage vaheldumisi
LAT Pieļieciet pamišus
LIT Užsukinėkite pakaitomis
PL Śruby dokręcaj naprzemiennie
RU Затягивайте попеременно

CZ Pokręťta багаžníka dokręcaj dokręcaj naprzemiennie.
SK Dofahujte striedavo
SLO Privijajte izmenično.
HR Naizmjenočno zategnite
HU Egymástól függetlenül szorítandó
GR Σφιγγεται εναλλάξ
TR Dönüşümlü sıkın

中文 交替拧紧
한국어 번갈아 가며 조이십시오.
日本語 交互に締め付けてください。
ไทย ชั้นในแบบสลับ





≈ 3 Nm







8




x1
17 mm













SSANGYONG Actyon, 5-dr SUV, 06-				270 mm	700 mm	10 5/8"	27 1/2"
SSANGYONG Actyon, 4-dr Double Cab, 06-				270 mm	700 mm	10 5/8"	27 1/2"
				X mm	Y mm	X inch	Y inch







6











SSANGYONG Actyon, 4-dr Double Cab, 06-
SSANGYONG Actyon, 5-dr SUV, 06-








instructions

Kit 1448

SSANGYONG Actyon, 4-dr Double Cab, 06-
SSANGYONG Actyon, 5-dr SUV, 06-



480R
754



ISO 11154-E

PROFESSIONAL

THULE
SWEDEN®