




Kit 1463

RENAULT Laguna III, 5-dr Liftback, 07–



480R
754



480



750



THULE[®]
SWEDEN

ISO 11154-E

Max. 75kg
Max. 165 lbs

Kit XXXX
instructions

480R/754

480

750

x2 x2 x2 x4	x2	x2 x2 x4 x4	x2 x2 x2	x2

925 x 2






926 x 2

127 x 2




276 x 2

x 1



Kit



3



1



2




RENAULT Laguna III, 5-dr Liftback, 07-

X

37

1



2



RENAULT Laguna III, 5-dr Liftback, 07-

Y

36,5




480R




480

1



2



RENAULT Laguna III, 5-dr Liftback, 07-


X inch

X mm


40 1/4"

1021 mm

1



2



RENAULT Laguna III, 5-dr Liftback, 07-

Y inch








Y mm

40"


1016 mm

4




RENAULT Laguna III, 5-dr Liftback, 07-



5




	X mm	Y mm	X inch	Y inch
RENAULT Laguna III, 5-dr Liftback, 07-	242 mm	758 mm	9 1/2 "	29 7/8 "



GB/US Tighten alternately
D Die Schrauben abwechselnd anziehen
F Serrer alternativement chaque côté
NL Afwisselend aan de linker- en de rechterkant aandraaien
I Alternare il serraggio delle viti
E Apretar alternativamente
PT Aperte alternadamente
S Dra åt växelvis
FIN Kierrä vuorotellen
EST Pinguldage vaheldumisi
LAT Pievelciēt pamišus
LIT Užsukinėkite pakaitomis
PL Śruby dokręcaj naprzemiennie
RU Затягивайте попеременно

CZ Pokręťta bagażnika dokręcaj dokręcaj naprzemiennie.
SK Dotahujte striedavo
SLO Privijajte izmenično.
HR Naizmjenično zategnite
HU Egymástól függetlenül szorítandó
GR Σφιγγεται εναλλάξ
TR Dönüşümlü sıkın
中文 交替拧紧
한국어 번갈아 가며 조이십시오.
日本語 交互に締め付けてください。
ไทย ชั้นในแบบสลับ





6





480R/754



480




750




i




1




2




i



1




2




i








1



2





THULE®
SWEDEN

**ONE
KEY
SYSTEM**

544 (x4)

596 (x6)

588 (x8)

510 (x10)

452 (x12)

NA
EUR
ASIA