





Kit 1504

MERCEDES CLC, 2-dr Coupé, 08–



480R
754












480






750









3



1




2



MERCEDES CLC, 2-dr Coupé, 08-

X
31,5

1



2



MERCEDES CLC, 2-dr Coupé, 08-

Y
29,5




480R



480

1



2




MERCEDES CLC, 2-dr Coupé, 08-

X inch X mm

38 " 966 mm

1



2










MERCEDES CLC, 2-dr Coupé, 08-

Y inch Y mm


37 1/4 " 946 mm

4







MERCEDES CLC, 2-dr Coupé, 08–



5




	X mm	Y mm	X inch	Y inch
MERCEDES CLC, 2-dr Coupé, 08–	170 mm	650 mm	6 3/4 "	25 5/8 "



GB/US Tighten alternately
D Die Schrauben abwechselnd anziehen
F Serrer alternativement chaque côté
NL Afwisselend aan de linker- en de rechterkant aandraaien
I Alternare il serraggio delle viti
E Apretar alternativamente
PT Aperte alternadamente
S Dra åt växelsvis
FIN Kierrä vuorotellen
EST Pinguldage vaheldumisi
LAT Pievelciēt pamišus
LIT Užsukinėkite pakaitomis
PL Śruby dokręcaj naprzemiennie
RU Затягивайте попеременно

CZ Pokręťta багаžníka dokręcaj dokręcaj naprzemiennie.
SK Dofahujte striedavo
SLO Privijajte izmenično.
HR Naizmjenično zategnite
HU Egyarástól függetlenül szorítandó
GR Σφιγγετε εναλλάξ
TR Dönüşümlü sıkın
中文 交替拧紧
한국어 번갈아 가며 조이십시오.
日本語 交互に締め付けてください。
ไทย ชันในแบบสลับ






6













480R/754








480



750





THULE®
SWEDEN

**ONE
KEY
SYSTEM**

		(x4)
		(x6)
		(x8)
NA		(x10)
EUR		(x12)
ASIA		