




Kit 1632

PORSCHE Cayenne, 5-dr SUV, 10- / *11- (Without railing)

*North America



754 Rapid System
480R Rapid Traverse (North America)



480 Traverse (North America)



THULE[®]
SWEDEN

ISO 11154-E

754 Rapid System


480R Rapid Traverse (North America)

x1

x4


x4

x4

Europe		North America	
  x2	 x2 23 mm  x2  x4  x4	 x1 17 mm  x2 23 mm  x2  x4	(North America)  x2 23 mm  x2  x2





1






2






754 Rapid System
480R Rapid Traverse
(North America)



x4





x4



x4




480 Traverse
(North America)




x4

3




754 Rapid System



X

PORSCHE Cayenne, 5-dr SUV, 10- / *11- (Without railing)

51



Y

PORSCHE Cayenne, 5-dr SUV, 10- / *11- (Without railing)

45

3




480R Rapid Traverse



480 Traverse



(North America)




X inch

X mm

PORSCHE Cayenne, 5-dr SUV, 10- / *11- (Without railing)

45 ³/₄ "

1161 mm



Y inch


Y mm

PORSCHE Cayenne, 5-dr SUV, 10- / *11- (Without railing)

43 ³/₈ "



1101 mm

4




5


PORSCHE Cayenne, 5-dr SUV, 10- / *11- (Without railing)




6





i





A




B



	X mm	Y mm	X inch	Y inch
PORSCHE Cayenne, 5-dr SUV, 10- / *11- (Without railing)	400 mm	700 mm	15 ³ / ₄ "	27 ¹ / ₂ "



7



GB/US	Tighten alternately
D	Die Schrauben abwechselnd anziehen
F	Serrer alternativement chaque côté
NL	Afwisselend aan de linker- en de rechterkant aandraaien
I	Alternare il serraggio delle viti
E	Apretar alternativamente
PT	Aperte alternadamente
S	Dra åt växelvis
FIN	Kierrä vuorotellen
EST	Pinguldage vaheldumisi
LAT	Pielvelciet pamišus
LIT	Užsukinėkite pakaitomis
PL	Śruby dokręcaj naprzemiennie
RU	Затягивайте попеременно





CZ	Pokrétla багаžníka dokręcaj dokręcaj naprzemiennie.
SK	Dofahujte striedavo
SLO	Privijajte izmenično.
HR	Naizmjenočno zategnite
HU	Egy mástól függetlenül szorítandó
GR	Σφιγγεται εναλλάξ
TR	Dönüşümlü sıkın

中文 交替拧紧



한국어 번갈아 가며 조이십시오.

日本語 交互に締め付けてください。

ไทย ชั้้นในแบบสลับ




≈ 3 Nm





8



x1
17 mm





THULE®
SWEDEN

**ONE
KEY
SYSTEM**

544 (x4)

596 (x6)

588 (x8)

NA **510** (x10)

EUR **452** (x12)

ASIA