





Thule Rapid System Kit 1653

> Instructions

KIA Picanto, 5-dr Hatchback, 04-10

KIA Picanto, 5-dr Hatchback, 11-17

KIA Morning, 5-dr Hatchback, 11-17



ISO 11154-E

141653

C.20170518
519-1653-02

Bring your life

thule.com



23 x2




597 x2



x1

24 x2






1171 x2



x1

1

	X (scale)	X (mm)	X (inch)
KIA Picanto , 5-dr Hatchback, 04-10	28	931	36 ⁵ / ₈
KIA Picanto , 5-dr Hatchback, 11-17	29	941	37
KIA Morning , 5-dr Hatchback, 11-17	29	941	37





	Y (scale)	Y (mm)	Y (inch)
KIA Picanto , 5-dr Hatchback, 04-10	28	931	36 ⁵ / ₈
KIA Picanto , 5-dr Hatchback, 11-17	24,5	896	35 ¹ / ₄
KIA Morning , 5-dr Hatchback, 11-17	24,5	896	35 ¹ / ₄


2

KIA Picanto, 5-dr Hatchback, 04-10

KIA Picanto, 5-dr Hatchback, 11-17

KIA Morning, 5-dr Hatchback, 11-17



3

	W (mm)	Z (mm)	W (inch)	Z (inch)
KIA Picanto , 5-dr Hatchback, 04-10	280	700	11	27 1/2
KIA Picanto , 5-dr Hatchback, 11-17	250	650	9 7/8	25 5/8
KIA Morning , 5-dr Hatchback, 11-17	250	650	9 7/8	25 5/8

