







Thule Rapid System Kit 1735

> Instructions

LEXUS IS250, 4-dr Sedan, 13-

LEXUS IS300, 4-dr Sedan, 13-

LEXUS IS350, 4-dr Sedan, 13-





ISO 11154-E

141735

C.20131004
519-1735-01

Bring your life
thule.com





x1



x1

1

	X (scale)	X (mm)	X (inch)
LEXUS IS250 , 4-dr Sedan, 13-	35	1001	39 3/8
LEXUS IS300 , 4-dr Sedan, 13-	35	1001	39 3/8
LEXUS IS350 , 4-dr Sedan, 13-	35	1001	39 3/8





	Y (scale)	Y (mm)	Y (inch)
LEXUS IS250 , 4-dr Sedan, 13-	30	951	37 1/2
LEXUS IS300 , 4-dr Sedan, 13-	30	951	37 1/2
LEXUS IS350 , 4-dr Sedan, 13-	30	951	37 1/2

2



LEXUS IS250, 4-dr Sedan, 13-

LEXUS IS300, 4-dr Sedan, 13-

LEXUS IS350, 4-dr Sedan, 13-



3



	W (mm)	Z (mm)	W (inch)	Z (inch)
LEXUS IS250 , 4-dr Sedan, 13-	130	815	5 1/8	32 1/8
LEXUS IS300 , 4-dr Sedan, 13-	130	815	5 1/8	32 1/8
LEXUS IS350 , 4-dr Sedan, 13-	130	815	5 1/8	32 1/8

